

# P4CCE061



## DESCRIPTION

- Connector cap for 90° cable routing (Form B)
- Quick and intuitive assembly due to one-piece design
- Slim design for minimum space requirement
- Robust design related to reliable clipping elements
- Improved Ergo usage
- Feature for zip-tie usage
- CO2 reduzierte Variante im Rezyklat (100%) verfügbar

## GENERAL INFORMATION

SAP Material No (Virgin Material)	88000005948
Material type (Virgin Material)	PA 6.6/6
SAP material number	88000005949
Material type (Recyclate)	PA 6.6
Colour description	black
Length A	104,1 mm
Height C	41,9 mm
Width B	17,3 mm
Number of poles	2
Outlet form	B

## TECHNICAL PROPERTIES

Nominal width	
Weight	7,7 g
Chemical resistance	Alcohol, weak alkalis, solvents, fuels, mineral oils, grease/oils
Temperature resistance	-40°C up to +130°C
General Tolerance	UL94 HB
Water resistance	Supports IPX9K impermeability

## PERFORMANCE INDICATOR

Assembly force	on request
Pull-off force	on request
Abzugskraft vom Stecker (-40°C) (Nm)	on request
Pull-off force Corrugated tube (N)	on request



Further details, sizes and designs:  
<https://www.poeppelmann.com/en/k-tech/browse>

## SUITABLE FOR

Manufacturer/ Connector family		Connector no.
FEP	FEP 9.5	42131200
FEP	FEP 9.5	
FEP	FEP 9.5	

## CO<sub>2</sub> FOOTPRINT OF THE PRODUCT

<b>Material type (Virgin Material)</b>	PA 6.6/6
<b>THG Virgin material total</b>	56,61
<b>Material type (Recyclate)</b>	PA 6.6
<b>Material description (Recyclate)</b>	Pöppelmann I2022Fbk
<b>THG PIR total</b>	9,54
<b>Saving</b>	83,15%

Sum of all GHG emissions for the product:

Product carbon footprint consideration "cradle-to-gate" (Pöppelmann).

The estimation of the greenhouse gas footprint is based on different values and data with varying quality and accuracy. We are guided by DIN EN ISO 14067 and the GHG Protocol.

## PACKAGING

<b>Basic unit standard packaging</b>	900
<b>VPA per product carrier</b>	12

## ADVANTAGES



SCHUTZ VOR STAUB  
UND SCHMUTZ



OPTIMALE NUTZUNG  
DES BAURAUMS



INTUITIVE MONTAGE



SCHUTZ DER LEITUNGEN



REDUZIERUNG VON  
SCHWINGUNGEN



EINSATZ AUF ENGSTEM  
RAUM



Further details, sizes and designs:  
<https://www.poeppelmann.com/en/k-tech/browse>

FURTHER INFORMATION

---

Customs item number      39269097  
Production DE              Germany



Further details, sizes and designs:  
<https://www.poeppelmann.com/en/k-tech/browse>